

Publikationen

- (2013): Analysis of three different measurement strategies carried out with the TII-3D coordinate measurement system. In: SPIE Optics + Photonics 2013, Optical Engineering + Applications. DOI: 10.1117/12.2024001.
- (2010): Effects of mechanical inaccuracies on the measurement result in metrology systems. In: Proceedings of the 5th International Symposium on Advanced Optical Manufacturing and Testing Technologies: Optical Test and Measurement Technology and Equipment, vol. 7656.
- (2009): Strategies for grinding optical free-forms using ball-shaped grinding wheels. In: SPIE Optifab, Rochester, NY, USA.
- (2008): Advanced techniques for computer-controlled polishing. In: Current Developments in Lens Design and Optical Engineering IX, vol. 7060, no. 70600Q ff.. DOI: 10.1117/12.808036.
- (2008): Forces acting between polishing tool and workpiece surface in magnetorheological finishing. In: Proceedings of SPIE, Volume 7060, Current Developments in Lens Design and Optical Engineering IX (Optical Engineering + Applications, San Diego, CA, USA; August 10-14, 2008). DOI: 10.1117/12.794196.
- (2008): Utilisation of time-variant influence functions in the computer-controlled polishing. In: Precision Engineering, vol. 32, no. 1, pp. 47-54. DOI: 10.1016/j.precisioneng.2007.04.005.
- (2008): Simulation of a complex optical polishing process using a neural network. In: Robotics and Computer-Integrated Manufacturing, vol. 24, no. 1, pp. 32-37. DOI: 10.1016/j.rcim.2006.07.003.
- (2008): Mathematical modelling of influence functions in computer-controlled polishing. Part II. In: Applied Mathematical Modelling, vol. 32, no. 12, pp. 2907-2924.
- (2008): Mathematical modelling of influence functions in computer-controlled polishing. Part I. In: Applied Mathematical Modelling, vol. 32, no. 12, pp. 2888-2906.
- (2007): C-AFM-based thickness determination of thin and ultra-thin SiO₂ films by use of different conductive-coated probe tips. In: Applied Surface Science, vol. 253, no. 7, pp. 3615-3626.
- (2007): Calculation of MRF influence functions. In: Optical Manufacturing and Testing VII, SPIE, San Diego, CA, USA.
- (2007): Calculation of MRF influence functions. In: Optical Manufacturing and Testing VII, vol. 6671.
- (2007): Lens production enhancement by adoption of artificial influence functions and a knowledge-based system in a magnetorheological finishing process. In: Optical Manufacturing and Testing VII, vol. 6671, no. September. DOI: 10.1117/12.761356.
- (2007): Filter algorithm for influence functions in the computer-controlled polishing of high-quality optical lenses. In: International Journal of Machine Tools and Manufacture, vol. 47, no. 1, pp. 107-111.
- (2006): Thickness determination of thin and ultra-thin SiO₂ films by C-AFM IV-spectroscopy. In: Applied Surface Science, vol. 252, no. 6, pp. 2375-2388.
- (2006): Coherences between influence function size, polishing quality and process time in the magnetorheological finishing. In: Current Developments in Lens Design and Optical Engineering VII, San Diego, CA, USA.
- (2006): Simulation of a complex optical polishing process using a neural network. In: Robotics and Computer-Integrated Manufacturing, vol. 24, no. 1, pp. 32-37. DOI: 10.1016/j.rcim.2006.07.003.

- (2006): Coherences between influence function size, polishing quality and process time in the magnetorheological finishing. In: Current Developments in Lens Design and Optical Engineering VII, vol. 6288. DOI: 10.1117/12.678720.
- (2006): Correlation between influence- function quality and predictability of a computer-controlled polishing process. In: Optical Engineering, vol. 45, no. 6. DOI: 10.1117/1.2213630.
- (2005): Comparison of different magnetorheological polishing fluids.
- (2005): New viscosity measurement for magnetorheological polishing fluid. In: Optical Manufacturing and Testing VI, San Diego, CA, USA.
- (2005): A new approach to predict computer-controlled polishing results. In: Optical Manufacturing and Testing VI, San Diego, CA, USA.
- (2005): Comparison of different magnetorheological polishing fluids. In: Optical Fabrication, Testing, and Metrology II, vol. 5965, pp. 659-670. DOI: 10.1117/12.656430.
- (2005): New viscosity measurement for magnetorheological polishing fluid. In: Optical Manufacturing and Testing VI, vol. 5869, pp. 133-141. DOI: 10.1117/12.616690.
- (2005): A new approach to predict computer-controlled polishing results. In: Optical Manufacturing and Testing VI, vol. 5869, pp. 94-102. DOI: 10.1117/12.616780.
- (2004): Simplified tunnelling current calculation for MOS structures with ultra-thin oxides for Conductive Atomic Force Microscopy investigations. In: Materials Science & Engineering B, vol. 116, no. 2, pp. 168-174. DOI: 10.1016/j.mseb.2004.09.027.
- (2004): Temporal stability and performance of MR polishing fluid. In: Current Developments in Lens Design and Optical Engineering V, San Diego, CA, USA.
- (2004): Comparison of a new contact topographical measurement system for spherical and aspherical surfaces with interferometry. In: Current Developments in Lens Design and Optical Engineering V, Denver, CO, USA.
- (2004): Temporal stability and performance of MR polishing fluid. In: Current Developments in Lens Design and Optical Engineering V, vol. 5523, pp. 273-280. DOI: 10.1117/12.558897.
- (2004): Comparison of a new contact topographical measurement system for spherical and aspherical surfaces with interferometry. In: Current Developments in Lens Design and Optical Engineering V, vol. 5523, pp. 225-234. DOI: 10.1117/12.558899.
- (2003): Atomic Force Microscopy Studies of Thin and Ultra-thin SiO₂ Films. Final Report. In: 2nd VDE World Microtechnologies Congress, München.
- (2003): Advanced Analysis of Thin and Ultrathin SiO₂/Si Interfaces with Combined Atomic Force Microscopy Methods. In: 29th International Symposium for Testing and Failure Analysis, Santa Clara, CA, USA, pp. 406-412.
- (2003): Characterization of thin and ultrathin SiO₂ films and SiO₂/Si interfaces with combined conducting and topographic atomic force microscopy. In: 14th European Symposium on Reliability of Electron Devices, Failure Physics and Analysis (ESREF), Arcachon, Frankreich.
- (2003): Characterization of thin and ultrathin SiO₂ films and SiO₂/Si interfaces with combined conducting and topographic atomic force microscopy. In: Microelectronics Reliability, vol. 43, no. 1, pp. 1465-1470. DOI: 10.1016/S0026-2714(03)00260-9.
- (2003): Advanced Analysis of Thin and Ultrathin SiO₂/Si Interfaces with Combined Atomic Force Microscopy Methods. In: 29th International Symposium for Testing and Failure Analysis, Santa Clara, CA, USA, pp. 406-412.
- (2003): Prediction of MRF polishing by classification of the initial error with Zernike polynomials. In: Optical Manufacturing and Testing V, San Diego, CA, USA.



(2003): Lens production enhancement by adoption of artificial influence functions and a knowledge-based system in a magnetorheological finishing process. In: Optical Manufacturing and Testing VII, San Diego, CA, USA.

(2003): Prediction of MRF polishing by classification of the initial error with Zernike polynomials. In: Optical Manufacturing and Testing V, vol. 5180, pp. 115-122. DOI: 10.1117/12.507652.

(2002): SG-Sensor – an affordable tactile alternative.

(2002): Combined AFM Methods to Improve Reliability Investigations of Thin Oxides. Final Report. In: IEEE International Integrated Reliability Workshop, Lake Tahoe, CA, USA.

(2002): Conducting Atomic Force Microscopy Studies for Reliability Evaluation of Ultrathin SiO₂ Films. Final Report. In: IEEE International Integrated Reliability Workshop, Lake Tahoe, CA, USA.

